OUTDOOR 2021

LUCIDE

COMBO

- 1x7W/INTEGRATED LED/3000K/215lm/incl.
- Ø 9cm/H 25cm 27874/25/30
- Ø 9cm/H 45cm 27874/45/30
- Ø 9cm/H 65cm 27874/65/30
- Black
- Aluminium

27874/25/30 27874/45/30 27874/65/30

POWERPOINT

- excl.
- Ø 10cm/H 40cm
- Antracithe
- Aluminium

IP44

27849/12/29

power plug with edge grounding

27849/02/29

power plug with pin grounding

DINGO LED

- 1xGU10/5W LED/3000K/320lm/incl.
- Shade Ø up 7/down 11,5cm
- Ø 11,5cm/H 9cm/W 14,5cm 14881/05/30, 31
- H 70cm/W 20,5cm 14881/70/30, 31
- black & white
- aluminium + glass

LED | IP44 | DIMMABLE | WARM WHITE / BLANC CHAUD

14881/70/30

14881/70/31

14881/05/31

14881/05/30

spare bulb
49006/05/30

spare bulb
49006/05/31

NINKE

- 1xGU10/5W max./LED/excl.
- Ø 11cm
- H 16,5cm/W 11cm/D 14cm 14892/01/30
- H 80cm/Ø11cm 14892/80/30
- black
- aluminium + PC

LED | IP54 | ⏚

14892/01/30

bulb suggestion
49006/05/30

TEXAS

- 7W/INTEGRATED LED/3000K/420lm/incl.
- H 12cm/W 6cm/L 15cm 28850/24/30
- H 60cm/W 5cm/L 15cm 28851/60/30 - 28851/61/30
- black
- aluminium

INTEGRATED LED INTÉGRÉ | IP54 | WARM WHITE / BLANC CHAUD

IR | 120° | 10-2000 lux | Max. 9m | 5 sec.-8 min.

infrared motion sensor

28850/24/30

IR | 120° | 10-2000 lux | Max. 9m | 5 sec.-8 min.

infrared motion sensor

28851/60/30

28851/61/30
WITH IR DETECTOR

TEXAS

- 7W/INTEGRATED LED/3000K/420lm/incl.
- H 12cm/W 6cm/L 15cm 28850/23/30
- H 40cm/W 5cm/L 15cm 28851/40/30
- black
- aluminium

INTEGRATED LED INTÉGRÉ | IP54 | WARM WHITE BLANC CHAUD

28850/23/30

28851/40/30

GOA

- 6,5W/INTEGRATED LED/3000K/350lm/incl.
- H 6cm/W 13cm/L 15cm 28857/06/30
- H 60cm/W 6cm/L 15cm 28857/61/30
- color black
- aluminium

INTEGRATED LED INTÉGRÉ | IP54 | WARM WHITE / BLANC CHAUD

28857/06/30

28857/61/30

BASIC SOLAR

- 3W/INTEGRATED LED/2700K/380lm/incl.
- H 3,6cm/W 11,6cm/L 19cm
- color black
- PC

INTEGRATED LED INTÉGRÉ | IP44 | III | WARM WHITE / BLANC CHAUD

22862/04/30

PIR motion detector SPECIFICATIONS

The lighting 20% brightness on during the dark.
100% on for 30 seconds when there is movement.
Sensor distanceMax.3 meters.



YUPLA LED

- 4x2W/INTEGRATED LED/3000K/tot. 350lm/incl.
- H9,4cm/W10cm/L 10cm
- color black
- aluminium & glass

27880/08/30

BOOGY

- 2xGU10/LED max. 4W/excl.
- W 9,3 cm/H 15 cm/L 6,8 cm
- color black & rusty
- aluminium

LED | IP44

27863/02/97

up & down light

27863/02/30

bulb suggestion
49006/05/30

ZORA-LED

- 1xGU10/5W LED/3000K/320lm/incl. 22861/05/30, 31
- 2xGU10/2x5W LED/3000K/2x320lm/incl. 22861/10/30, 31
- H 7,9cm/W 9cm/L 6,5cm 22861/05/30, 31
- H 15cm/W 9cm/L 6,5cm 22861/10/30, 31
- Beam Angle 36°
- colors black & white
- Aluminium + Glass

LED | IP44 | DIMMABLE | WARM WHITE / BLANC CHAUD

22861/05/30

down light

22861/05/31

22861/10/30

up & down light

22861/10/31

spare bulb
49006/05/30

spare bulb
49006/05/31

ZORA-LED

- 1xGU10/5W LED/3000K/320lm/incl. 22860/05/30, 31
- 2xGU10/2x5W LED/3000K/2x320lm/incl. 22860/10/30, 31
- H 7,9cm/W 9cm/L 6,5cm 22860/05/30, 31
- H 15cm/W 9cm/L 6,5cm 22860/10/30, 31
- Beam Angle 36°
- colors black & white
- aluminium & glass

LED | IP44 | DIMMABLE | WARM WHITE / BLANC CHAUD



down light

22860/05/30 22860/05/31

up & down light

22860/10/30 22860/10/31

spare bulb
49006/05/30

spare bulb
49006/05/31

ZARO

- (1x) (2x) GU10/35W max./excl.
- H 10cm/W 7,8cm/L 6,8cm 69800/01/30, 31
- H 16cm/W 7,8cm/L 6,8cm 69800/02/30, 31
- Beam Angle 36°
- colors black & white
- Aluminium

LED | IP44 | DIMMABLE

down light

69800/01/30

69800/01/31

69800/02/30

69800/02/31

up & down light

bulb suggestion
49006/05/30

bulb suggestion
49006/05/31

ZARO

- (1x) (2x) GU10/35W max./excl.
- H 11cm/W 9cm/L 8cm 69801/01/30, 31
- H 16cm/W 7,8cm/L 6,8cm 69801/02/30, 31
- Beam Angle 36°
- colors black & white
- Aluminium

LED | IP44 | DIMMABLE

down light

69801/01/30

69801/01/31

69801/02/30

69801/02/31

up & down light

bulb suggestion
49006/05/30

bulb suggestion
49006/05/31

SLITS

27898/10/29

- 30xSMD/10W/INTEGRATED LED/2700K/576lm/incl.
- H 15,4cm/W 16,8cm/L 13cm
- color dark grey
- aluminium & PC



MALTA LED

- 1x5,4W/INTEGRATED SMD LED/3000K/231lm/incl.
- H 6,5cm/W 14cm/D 10,5cm
- color black
- aluminium & pc

15800/05/30



SINGA LED

- 1x9,6W/INTEGRATED SMD LED/3000K/553lm/incl.
- H 10cm/W 17cm/D 17cm
- color black
- aluminium & pc

15801/10/30

DIGIT

- 3W/INTEGRATED LED/2700K/193lm/incl.
- H 20cm/W 3,6cm/L 15cm
- color black
- aluminium & glass

27899/03/29

CADRA LED

- 1x6W/INTEGRATED LED/3000K/312lm/incl.
- H 20cm/W 5cm/L 16cm
- color black
- aluminium & glass

INCLUDING SET OF HOUSE NUMBER STICKERS

27879/06/30

INTEGRATED LED INTÉGRÉ | IP54 | WARM WHITE BLANC CHAUD

THESI LED

- 1x6W/INTEGRATED LED/3000K/220lm/incl.
- H 16cm/W 8,5cm/L 20cm
- color black
- aluminium

INCLUDING SET OF HOUSE NUMBER STICKERS

27881/06/30

INTEGRATED LED INTÉGRÉ | IP54 | WARM WHITE BLANC CHAUD

DIMO

- 1xE27/40W max./excl.
- H 11cm/W 10,8cm/L 25cm
- colors black & rusty
- aluminium die-casting & Opal pc

bulb suggestion
49021/04/60

IP54

27853/01/97

27853/01/30

TUBIX

- 1xE27/24W max. /excl.
- Ø 10,8 cm/H 15,3 cm
- colors white & black
- aluminium die-casting

bulb suggestion
49021/04/60

IP54

27870/01/30

27870/01/31

LA DONNA

- 1x2W/INTEGRATED LED /2700K/263lm/incl.
- Ø 19,7cm/H 29,2cm
- colors white
- aluminium & pc

27500/02/31

POWER ADAPTER & CABLE incl.

27500/02/29

CABLE PLUG ADAPTER INCL.
RECHARGEABLE BATTERIES INSIDE
TOUCH ON/OFF SWITCH
DIMMABLE VERSION
CHARGING TIME 4,5 HOURS, WORKTIME
TOUCH 1= 100% OF LIGHT-6.5HOURS
TOUCH 2= 40% OF LIGHT-15HOURS
TOUCH 3= 10% OF LIGHT-80HOURS
TOUCH 4= ON / OFF

TOUCH ON-OFF
AND DIMMABLE

JUSTIN

- 1x4,5W/INTEGRATED LED/3000K/ 470lm/incl. 27888/05/30
- 1x7W/INTEGRATED LED/3000K/555lm/incl. 27888/07/30
- shade Ø 28/20cm 27888/05/30
- shade Ø 16,5/11,5cm 27888/07/30
- H 150cm/W 28cm/L 28cm 27888/05/30
- H 28,2cm/W 22,2cm/L 16,5cm 27888/07/30
- color black
- aluminium

27888/05/30

TOUCH ON-OFF AND DIMMABLE

POWER ADAPTER & CABLE incl.

27888/07/30



- incl. power adapter & cable
- rechargeable batteries inside
- touch switch and dimmable
- charging time 9 hours
- work time 9 hrs

JUSTIN

- 1x2,2W/INTEGRATED LED/3000K/154lm/incl.
- H 38cm/D 11cm
- colors black, white
- aluminium die casting
- incl. power adapter & cable
- rechargeable batteries inside
- touch switch and dimmable
- charging time 5-7 hours
- work time 9 hrs

TOUCH ON-OFF
AND DIMMABLE



POWER ADAPTER & CABLE incl.



27888/03/31

27888/03/30

FJARA

06801/01/33

06801/01/97

- 1x0,3W/INTEGRATED LED/2800-3200K/30Lm/incl.
- Ø 17,5cm/H 25cm/total H 40cm
- colors matt black/green/curry bron/terracotta
- metal
- touch dimmer on the product

FJARA

CHARGER USB / INCL.

TOUCH ON-OFF
AND DIMMABLE

06801/01/30

06801/01/43



JOE

IN- & OUTDOOR

- 1x3W/integrated LED/3 level light/2800-3200K /278lm/in
- Ø 14,5cm/H 26,5cm
- color opal White
- PE + wood
- Rechargeable
- rechargeable battery 5V 4000mAh
- 4.5-5.5 hours w/full power lighting
- 9.5-10.5 hours w/medium power lighting
- 72 hours w/lowest power lighting

INTEGRATED LED INTÉGRÉ | IP44 | DIMMABLE | WARM WHITE / BLANC CHAUD

06800/03/31

on -off and
3 step dimmable

power connection
for charging cable

CACTUS

- 2W/12 INTEGRATED LED/2700K/90lm/incl.
- Ø 22,7 cm/H 33cm
- color white
- PE white
- 3 step dimmer on the product
- charging time 5 hours
- working time:
- 100% brightness 7 hours
- 75% brightness 12 hours
- 50% brightness 28 hours

INTEGRATED LED INTÉGRÉ | IP44 | III | DIMMABLE | WARM WHITE BLANC CHAUD

13813/02/31

charging cable

ARNE-LED

- 2xGU10/LED 5W/2700K/350lm/incl.
- H 50cm/W 18cm/W max. 30cm
- Base Ø 9,5cm
- color satin chrome
- stainless steel & glass

ADJUSTABLE SPOTS

14867/10/12

LED | IP44 | WARM WHITE / BLANC CHAUD

- 1xGU10/LED 5W/2700K/350lm/incl.
- H 50cm/W 18,7cm/D 6,3cm
- colors black & satin chrome
- stainless steel

14867/49/30

14867/49/12

- 2xGU10/LED 5W/2700K/350lm/incl.
- H 90cm/W 21,9cm /D 6,3cm
- colors black & satin chrome
- stainless steel

14867/98/30

14867/98/12

spare bulb
49008/05/60

14867/11/12

14867/11/30

- 2xGU10/LED 5W/
- 2700K/350lm/incl.
- H 17cm/W 12cm/D 6,3cm
- **colors black & satin chrome**
- stainless steel

WITH I.R. DETECTOR

- 2xGU10/LED 5W/
- 2700K/350lm/incl.
- H 22,5cm/W 12cm/D 6,3cm
- **colors black & satin chrome**
- stainless steel

14866/10/12

infrared motion sensor

14866/05/12

infrared motion sensor

14866/05/30

spare bulb
49008/05/60

14867/05/12

14867/05/30

- 1xGU10/LED 5W/
- 2700K/350lm/incl.
- H 11,5cm/W 12cm/D 6,3cm
- **colors black & satin chrome**
- stainless steel

14866/10/30
Glass (92/14867/00)

WITH I.R. DETECTOR

- 1xGU10/LED 5W/
  2700K/350lm/incl.
- H 16cm/W 12cm/D 6,3cm
- **colors black & satin chrome**
- stainless steel

TAYLOR

09831/01/30

09831/01/31

09831/02/30



infrared motion sensor

09831/02/31

- GU10/(1x) (2x)50W/excl.
- shade Ø 5,7/H 11cm
- H 15,3cm/W 10cm/L 15cm 09831/01/30,31
- H 15,3cm/W 10cm/L 18cm 09831/02/30,31
- color black & white
- aluminium

IP54

BRAN

- 1x7W/INTEGRATED LED/2700K/345lm/incl.
- H 12,4cm/W 10,7cm/L 9,2cm
- color antracithe
- aluminium

INTEGRATED LED INTÉGRÉ | IP54

27817/07/29

BILTIN

- 1xGU10/max. 35W/excl.
- H 12,5cm/W 10,8cm/L 10,8cm 11800/01/12
- Ø 10,8cm/H 12,5cm 11801/01/12
- H 0,3cm/W 10,8cm/L 10,8cm 11800/01/30
- Ø 10,8cm/H 0,3cm/W 10,8cm/L 10,8cm 11801/01/30
- ⌀ 10,4cm 11801/01/12
- colors black & satin chrome
- aluminium

pressure measurement :
100kPa



11800/01/12

11801/01/12



11800/01/30

11801/01/30

ARNE-LED

- 1xGU10/LED 5W/2700K/350lm/incl.
- H 36cm/W 9cm/D 6,3cm
- colors black & satin chrome
- stainless steel

spare bulb
49008/05/60

LED | IP44 | WARM WHITE / BLANC CHAUD

14868/05/30 14868/05/12

SPIKE LED

- 1xGU10/5W/3000K/320lm/incl.
- H 42cm/W 6,5cm/L 10,8cm
- color black
- aluminium, glass & plastic spike
- Led GU10 bulb 49006/05/30

LED | IP54 | WARM WHITE / BLANC CHAUD

spare bulb
49006/05/30

27882/05/30

TATUM

- 1x4,5W/INTEGRATED LED/3000K/417lm/incl.
- H13cm/W 14cm/L 10,5cm
- color graphite
- aluminium

27893/05/29



27894/05/29

- 1x4,5W/INTEGRATED LED/3000K/417lm/incl.
- H13cm/W 14cm/L 10,5cm tot H 39,5cm
- color graphite
- aluminium

INTEGRATED LED INTÉGRÉ | IP65

- 1x4,5W/INTEGRATED LED/3000K/417lm/incl.
- H 43cm/W 14cm/L 10,5cm
- color graphite
- aluminium

MANAL

27896/12/29

27897/12/29

- 1x12W/INTEGRATED LED/3000K/988lm/incl.
- H 17,3cm/W 13,9cm/L 9cm 27896/12/29
- H 31,5cm/W 15,3cm/L 8,8cm 27897/12/29
- color dark grey
- aluminium

INTEGRATED LED INTÉGRÉ

IP65

CLAIRE MINI

- 1xE27/max. 60W/excl. 27885/01/30
- 2xE27/max. 60W/excl. 27885/02/30
- H 20cm/W 11cm/L 9cm 27885/01/30
- H 36cm/W 11cm/L 9cm 27885/02/30
- colorantracite
- aluminium & glass

IP54

27885/01/30

27885/02/30

CLAIRE IR

- 1xE27/ max. 60W/excl.
- H 29cm/W 16cm/L14cm
- colorantracite
- aluminium & glass

IP54

IR 100° 10-2000 lux 0-8m 5 sec.-8 min.

27883/11/30

CLAIRE LED

- 1xE27/max. 60W/excl.
- H 24,5cm/W 20cm/L 20cm 27883/25/30
- H 50cm/W 14cm/L 14cm 27883/50/30
- color black
- aluminium & glass

IP54

bulb suggestion
49020/05/60

27883/25/30

27883/50/30

CLAIRE WALL

- 1xE27/max. 60W/excl. 27883/01/30
- 2xE27/max. 60W/excl. 27883/02/30
- H 30cm/W 18cm/L 17,6cm 27883/01/30
- H 40cm/W 14cm/L 16cm 27883/02/30
- color antracite
- aluminium & glass

IP54

bulb suggestion
49021/04/60

bulb suggestion
49015/05/60

27883/02/30

27883/01/30

DUKAN

- (1x) (2x) E27/15W max./excl.
- H 9cm/W 8,6cm/L 25,8cm
- color black
- aluminium & glass

IP65

15802/01/30

bulb suggestion
49042/05/62

DUKAN

- (1x) (2x) E27/15W max./excl.
- H 8,7cm/W 22cm/L 22cm
- color black
- aluminium & glass

15802/02/30

bulb suggestion
49042/05/62

IP65

CLAIRETTE

28861/10/30

- 1x15W/INTEGRATED LED/3000K/650 lm/incl.
- H 38cm/W 16,7cm/L 12cm
- color dark grey, clear diffuser
- aluminium & glass diffuser



PIR MONTION SENSOR INCL.

TENSO SOLAR

- 1x2,2W/INTEGRATED LED/3000K/(205) (264)lm/incl.
- H 29cm/W 15,4cm/L 14cm 27891/02/30
- H 50cm/W 14cm/L 14cm 27892/02/30
- solar panel 2W
- color graphite
- aluminium die csting

INTEGRATED LED INTÉGRÉ | IP54

27891/02/30

2W SOLAR PANEL PHILIPS 2,2W
CHARGING TIME 6-8 HOURS
WORK TIME FULL LIGHT 2,5-3 HRS
WORK TIME MICRO LIGHT 20-25 HRS

27892/02/30

KEPPEL

- 1xE27/60W max./excl.
- H 18,6cm/W 12cm/L 15,2cm
- color matt black
- metal & clear glass

IP23

bulb suggestion
49042/05/62

29824/01/30

LINDELO

- 1xE27/60W max./excl.
- H 26,3cm/W 11,5cm/L 16cm
- color matt black
- metal & clear glass

IP23

bulb suggestion
49042/05/62

29825/01/30

MAKKUM

- 1xE27/60W max./excl.
- H 37cm/W 16cm/L 21cm
- color matt black
- metal & clear glass

IP23

bulb suggestion
49043/05/62

29826/01/30

NISPEN

- 1xE14/40W max./excl.
- H 31,5cm/W 13,5cm/L 16cm
- color matt black
- metal & clear glass

IP44

bulb suggestion
49036/03/62

29827/01/30

MATSLOT

- 1xE27/60W max./excl.
- H 24,6cm/W 13cm/L 14,2cm 29828/01/30
- H 30,5cm/W 16,5cm/L 18cm 29829/01/30
- color matt black
- metal & clear glass

IP23

bulb suggestion
49020/05/60

29828/01/30

29829/01/30

CADIX

- 1xE27/15W LED max./excl.
- Ø 16cm/H 27,6/W21,5cm 15803/01/30
- Ø 16cm/H 22cm 15804/22/30
- Ø 16cm/H 50cm 15804/50/30
- matt black
- die-casting aluminium + PL

IP65

15803/01/30

15804/22/30

15804/50/30

LORI

- 1xE27/15W max./excl.
- H 21,8cm/W 14,7cm/L 12cm 14893/01/30
- H 80cm/D 12cm 14893/80/30
- color sand black
- alu

IP44

14893/01/30

14893/80/30

WITH DAY/NIGHT SENSOR

bulb suggestion
49043/05/62

SOLID

- 1xE27/max 60 W excl.
- Ø 9cm/H 26cm/W 14,2cm 14871/01/30
- Ø 9cm/H 50cm 14871/50/30
- color black
- aluminium die cast & opal pc diffuser

IP54

WITH LUX SENSOR
(twilight switch, day/night sensor)

14871/50/30

KIBO

- E27/20W LED max./excl.
- Ø 7,5 cm/H 39cm/W 15cm 14863/01/12
- Ø 7,5 cm/H 45cm 14863/45/12
- color satin Chrome
- inox 304/acrylic diffuser

IP44

14863/01/12

14863/45/12

bulb suggestion
49020/05/60

ZICO

- 1xE27/60W max./excl.
- H 23,3cm/W25,8cm/Ø 21,8cm 11874/01/12, 30
- H 100cm/D 21,8cm 11874/99/12, 30
- color stainless steel & black
- stainless steel + alu

IP44

11874/01/12

11874/01/30

11874/99/12

Spare glass 92/11874/60

11874/99/30

bulb suggestion
49043/05/62

FEDOR

14899/01/12

14899/01/30

14899/50/12

14899/50/30

bulb suggestion
49035/05/62

IP44

14899/80/30

- 1xE27/40W max./excl.
- H 23cm/W 14,5cm/D 10cm 14899/01/12, 30
- H 49,5cm/D 10cm 14899/50/12, 30
- H 79,5cm/D 10cm 14899/80/12, 30
- color satin chrome & matt black
- stainless steel & clear pc

14899/80/12

DUDLEY

- 1xE27/40W max./excl.
- Ø 25cm/H 11,3cm
- color yellow brass/black
- aluminium & glass

IP65

bulb suggestion
49020/05/60

11890/25/02

11890/25/30

DUDLEY

- 1xE27/60W max./excl.
- H 11cm/W 13,6cm/L 19,7cm
- color yellow brass/black
- aluminium & glass

IP65

bulb suggestion
49020/05/60

11891/20/02

11891/20/30

DUDLEY

11892/01/30

11892/01/02

- 1xE27/60W max./excl.
- Ø 11cm/H 30cm/W 15cm
- color yellow brass/black
- aluminium & glass

IP44

bulb suggestion
49020/05/60

11875/01/30

11876/01/30

LIMAL

- 1xE27/60W max./excl.
- H 29,2cm/W 12,4cm 11875/01/30
- H 39cm/W 12,4cm/L19cm 11876/01/30
- color black
- aluminium & glass

IP44

bulb suggestion
49035/05/62

LEWIS

- 1xE27/60W max./excl.
- H 21,5cm/W 11,2cm/L 18,5cm
- color black & satin brass
- plastick

IP44

29899/01/02

29899/01/30

bulb suggestion
49042/05/62

LIVIA

- E27/60W max./excl.
- H 25cm/W 17,5cm/L 27cm
- colors black & white
- aluminium & clear PVC

IP44

bulb suggestion
49021/04/60

11812/01/31

11812/01/30

FIGO

- 1xE27/60W max./excl.
- Ø 21,5cm
- H 26,8cm/L 24cm
- colors black & galvanized
- aluminium & clear PVC

IP44

bulb suggestion
49020/05/60

11811/01/30

11811/01/06

ARUBA

- 1xE27/60W max./excl.
- Ø 25cm/H 36cm/L44cm
- Ø 30cm/H 24cm/W 37cm
- colors rust brown & black
- metal + glass

11871/01/97, 30
11870/01/97

IP44

11871/01/30

11870/01/97

bulb suggestion
49020/05/60

11871/01/97

ARUBA

- 1xE27/60W max./excl.
- Ø 25cm/H 78cm 11872/01/30, 97
- Ø 28,5cm/H 110cm 11873/01/30, 97
- color black & rust brown
- metal + glass

IP44

11872/01/97

11872/01/30

11873/01/97

11873/01/30

bulb suggestion
49020/05/60

TIRENO UP/DOWN

- 1xE27/60W max./excl.
- H 32cm/W 19cm/D 16,5 cm
- color black
- aluminium + glass

IP44

bulb suggestion
49020/05/60

11832/01/30

11833/01/30

TIRENO

- 1xE27/60W max./excl.
- Ø 16,5cm/H 42cm
- color black
- aluminium + glass

11834/01/30

TIRENO

- 1xE27/60W max./excl.
- Ø 16,5cm/H 120cm
- color black
- aluminium + glass

IP44

11835/01/30

bulb suggestion
49020/05/60

TIRENO

- 3xE27/60W max./excl.
- Ø 49,8 cm/H 205,7 cm
- color black
- aluminium + glass

IP44

11835/03/30

bulb suggestion
49020/05/60

INFO

Inclusief lamp
Lampe comprise
Lamp included
Leuchtmittel einbegriffen

Exclusief lamp
Lampe non comprise
Lamp excluded
Leuchtmittel nicht einbegriffen

Binnen
Intérieur
Indoor
Innen

Wandbevestiging
Montage au mur
Wall mounted
Wandmontage

Plafondbevestiging
Montage au plafond
Ceiling mounted
Deckenmontage

Plafond- en wandbevestiging
Montage au plafond et au mur
Ceiling and wall mounted
Decken und Wandmontage

Afstand lamp object
Distance lampe objet
Distance lamp object
Abstand Lampe Objekt

Conform Europese richtlijnen
Conformité européenne
European conformity
Entspricht Europäische Sicherheitsnormen

Voor montage op normaal ontvlambare oppervlakken
Pour montage sur des surfaces normalement inflammables
For mounting onto normally flammable surfaces
Für Montage auf normal entflammbare Oberflächen

IP20

bescherming tegen aanraking met een vinger
protection contre les contacts avec un doigt
protection against contact with a finger
Schutz gegen Berührung mit dem Finger

bescherming tegen vaste voorwerpen
protection contre les corps solides
protection against solid objects
Schutz gegen feste Objekte

IP21

bescherming tegen aanraking met een vinger
protection contre les contacts avec un doigt
protection against contact with a finger
Schutz gegen Berührung mit dem Finger

bescherming tegen druppelend water
Protection contre les gouttes d'eau
Protection against dripping water
Schutz gegen Tropfwasser

IP44

Spatwaterdicht
Protégée contre la projection d'eau
Splashproof
Geschützt gegen Strahlwasser

IP54

Stofvrij en spatwaterdicht
Protégée de la poussière et des projections d'eau
Dust protected and splashproof
Geschützt gegen Staub und eindringendes Wasser

IP65

Bescherming tegen waterstralen
Etanche à la poussière et protégée contre les jets d'eau
Dust-tight and protected against water jets
Staub- und Wasserstrahldicht

Klasse 1
Classe 1
Class 1
Klasse 1

Functional insulated with earthing facility. Class I luminaires feature terminal which is marked by the earth symbol ⏚

Klasse 2
Classe 2
Class 2
Klasse 2

Class II luminaire.
Reinforced or double insulated luminaire without earth protection

Klasse 3
Classe 3
Class 3
Klasse 3

Class III luminaire.
SELV (Safety Extra Low-Voltage) luminaire which can only be fed by an extra low voltage supply (i.e. less than 50 Volts).
Class III luminaires may not be earthed.

Inbouw
Encastrable
Built-in
Einbau

Dimbaar
Dimmable
Dimmable
Dimmbar

Geïntegreerde LED
LED intégré
integrated LED
integrierte LED

ART NR	BLZ	NAAM
06800/03/31	26	JOE
06801/01/30	25	FJARA
06801/01/33	24	FJARA
06801/01/43	25	FJARA
06801/01/97	24	FJARA
09831/01/30	30	TAYLOR
09831/01/31	30	TAYLOR
09831/02/30	30	TAYLOR
09831/02/31	30	TAYLOR
11800/01/12	32	BILTIN
11800/01/30	32	BILTIN
11801/01/12	32	BILTIN
11801/01/30	32	BILTIN
11811/01/06	55	FIGO
11811/01/30	55	FIGO
11812/01/30	54	LIVIA
11812/01/31	54	LIVIA
11832/01/30	58	TIRENO
11833/01/30	58	TIRENO
11834/01/30	59	TIRENO
11835/01/30	60	TIRENO
11835/03/30	61	TIRENO
11870/01/97	56	ARUBA
11871/01/30	56	ARUBA
11871/01/97	56	ARUBA
11872/01/30	57	ARUBA
11872/01/97	57	ARUBA
11873/01/97	57	ARUBA
11874/01/12	48	ZICO
11874/01/30	48	ZICO

ART NR	BLZ	NAAM
11874/99/12	48	ZICO
11874/99/30	48	ZICO
11875/01/30	52	LIMAL
11876/01/30	52	LIMAL
11890/25/02	50	DUDLEY
11890/25/30	50	DUDLEY
11891/20/02	51	DUDLEY
11891/20/30	51	DUDLEY
11892/01/02	52	DUDLEY
11892/01/30	52	DUDLEY
13813/02/31	27	CACTUS
14863/01/12	47	KIBO
14863/45/12	47	KIBO
14866/05/12	29	ARNE-LED
14866/05/30	29	ARNE-LED
14866/10/12	29	ARNE-LED
14866/10/30	29	ARNE-LED
14867/05/12	29	ARNE-LED
14867/05/30	29	ARNE-LED
14867/10/12	28	ARNE-LED
14867/11/12	29	ARNE-LED
14867/11/30	29	ARNE-LED
14867/49/12	28	ARNE-LED
14867/49/30	28	ARNE-LED
14867/98/12	28	ARNE-LED
14867/98/30	28	ARNE-LED
14868/05/12	33	ARNE-LED
14868/05/30	33	ARNE-LED
14871/01/30	46	SOLID
14871/50/30	46	SOLID

ART NR	BLZ	NAAM
14881/05/30	4	DINGO-LED
14881/05/31	4	DINGO-LED
14881/70/30	4	DINGO-LED
14881/70/31	4	DINGO-LED
14892/01/30	5	NINKE
14892/80/30	5	NINKE
14893/01/30	45	LORI
14893/80/30	45	LORI
14899/01/12	49	FEDOR
14899/01/30	49	FEDOR
14899/50/12	49	FEDOR
14899/50/30	49	FEDOR
14899/80/12	49	FEDOR
14899/80/30	49	FEDOR
15800/05/30	16	MALTA-LED
15801/10/30	17	SINGA LED
15802/01/30	38	DUKAN
15802/02/30	39	DUKAN
15803/01/30	44	CADIX
15804/22/30	44	CADIX
15804/50/30	44	CADIX
22860/05/30	13	ZORA-LED
22860/05/31	13	ZORA-LED
22860/10/30	13	ZORA-LED
22860/10/31	13	ZORA-LED
22861/05/30	12	ZORA-LED
22861/05/31	12	ZORA-LED
22861/10/30	12	ZORA-LED
22861/10/31	12	ZORA-LED
22862/04/30	9	BASIC

ART NR	BLZ	NAAM
27500/02/31	21	LA DONNA
27817/07/29	31	BRAN
27849/02/29	3	POWERPOINT
27849/12/29	3	POWERPOINT
27853/01/30	20	DIMO
27853/01/97	20	DIMO
27863/02/30	11	BOOGY
27863/02/97	11	BOOGY
27870/01/30	20	TUBIX
27870/01/31	20	TUBIX
27874/25/30	2	COMBO
27874/45/30	2	COMBO
27874/65/30	2	COMBO
27879/06/30	18	CADRA
27880/08/30	10	YUPLA
27881/06/30	19	THESI LED
27882/05/30	33	SPIKE
27883/01/30	37	CLAIRE
27883/02/30	37	CLAIRE
27883/11/30	36	CLAIRE
27883/25/30	37	CLAIRE
27883/50/30	37	CLAIRE
27885/01/30	36	CLAIRE MINI
27885/02/30	36	CLAIRE MINI
27888/03/30	23	JUSTIN
27888/03/31	23	JUSTIN
27888/05/30	22	JUSTIN
27888/07/30	22	JUSTIN
27891/02/30	41	TENSO SOLAR
27892/02/30	41	TENSO SOLAR

ART NR	BLZ	NAAM
27893/05/29	34	TATUM
27894/05/29	34	TATUM
27896/12/29	35	MANAL
27897/12/29	35	MANAL
27898/10/29	16	SLITS
27899/03/29	17	DIGIT
28850/23/30	7	TEXAS
28850/24/30	6	TEXAS-IR
28851/40/30	7	TEXAS
28851/60/30	6	TEXAS
28851/61/30	6	TEXAS-IR
28857/06/30	8	GOA
28857/61/30	8	GOA
28861/10/30	40	CLAIRETTE
29824/01/30	42	KEPPEL
29825/01/30	42	LINDELO
29826/01/30	42	MAKKUM
29827/01/30	43	NISPEN
29828/01/30	43	MATSLOT
29829/01/30	43	MATSLOT
29899/01/02	53	LEWIS
29899/01/30	53	LEWIS
69800/01/30	14	ZARO
69800/01/31	14	ZARO
69800/02/30	14	ZARO
69800/02/31	14	ZARO
69801/01/30	15	ZARO
69801/01/31	15	ZARO
69801/02/30	15	ZARO
69801/02/31	15	ZARO

NAAM	BLZ	ART. NR.
ARNE-LED	28	14867/10/12
ARNE-LED	28	14867/49/30
ARNE-LED	28	14867/49/12
ARNE-LED	28	14867/98/30
ARNE-LED	28	14867/98/12
ARNE-LED	29	14867/11/12
ARNE-LED	29	14867/11/30
ARNE-LED	29	14867/05/12
ARNE-LED	29	14867/05/30
ARNE-LED	29	14866/10/12
ARNE-LED	29	14866/10/30
ARNE-LED	29	14866/05/12
ARNE-LED	29	14866/05/30
ARNE-LED	33	14868/05/30
ARNE-LED	33	14868/05/12
ARUBA	56	11870/01/97
ARUBA	56	11871/01/30
ARUBA	56	11871/01/97
ARUBA	57	11872/01/30
ARUBA	57	11872/01/97
ARUBA	57	11873/01/97
BASIC	9	22862/04/30
BILTIN	32	11800/01/12
BILTIN	32	11801/01/12
BILTIN	32	11800/01/30
BILTIN	32	11801/01/30
BOOGY	11	27863/02/97
BOOGY	11	27863/02/30
BRAN	31	27817/07/29
CACTUS	27	13813/02/31

NAAM	BLZ	ART. NR.
CADIX	44	15803/01/30
CADIX	44	15804/22/30
CADIX	44	15804/50/30
CADRA	18	27879/06/30
CLAIRE	36	27883/11/30
CLAIRE	37	27883/25/30
CLAIRE	37	27883/50/30
CLAIRE	37	27883/02/30
CLAIRE	37	27883/01/30
CLAIRE MINI	36	27885/01/30
CLAIRE MINI	36	27885/02/30
CLAIRETTE	40	28861/10/30
COMBO	2	27874/25/30
COMBO	2	27874/45/30
COMBO	2	27874/65/30
DIGIT	17	27899/03/29
DIMO	20	27853/01/97
DIMO	20	27853/01/30
DINGO-LED	4	14881/05/30
DINGO-LED	4	14881/05/31
DINGO-LED	4	14881/70/30
DINGO-LED	4	14881/70/31
DUDLEY	50	11890/25/02
DUDLEY	50	11890/25/30
DUDLEY	51	11891/20/02
DUDLEY	51	11891/20/30
DUDLEY	52	11892/01/02
DUDLEY	52	11892/01/30
DUKAN	38	15802/01/30
DUKAN	39	15802/02/30

NAAM	BLZ	ART. NR.
FEDOR	49	14899/01/12
FEDOR	49	14899/01/30
FEDOR	49	14899/50/12
FEDOR	49	14899/50/30
FEDOR	49	14899/80/12
FEDOR	49	14899/80/30
FIGO	55	11811/01/30
FIGO	55	11811/01/06
FJARA	24	06801/01/33
FJARA	24	06801/01/97
FJARA	25	06801/01/30
FJARA	25	06801/01/43
GOA	8	28857/06/30
GOA	8	28857/61/30
JOE	26	06800/03/31
JUSTIN	22	27888/07/30
JUSTIN	22	27888/05/30
JUSTIN	23	27888/03/31
JUSTIN	23	27888/03/30
KEPPEL	42	29824/01/30
KIBO	47	14863/01/12
KIBO	47	14863/45/12
LA DONNA	21	27500/02/31
LEWIS	53	29899/01/02
LEWIS	53	29899/01/30
LIMAL	52	11875/01/30
LIMAL	52	11876/01/30
LINDELO	42	29825/01/30
LIVIA	54	11812/01/30
LIVIA	54	11812/01/31

NAAM	BLZ	ART. NR.
LORI	45	14893/01/30
LORI	45	14893/80/30
MAKKUM	42	29826/01/30
MALTA-LED	16	15800/05/30
MANAL	35	27896/12/29
MANAL	35	27897/12/29
MATSLOT	43	29828/01/30
MATSLOT	43	29829/01/30
NINKE	5	14892/01/30
NINKE	5	14892/80/30
NISPEN	43	29827/01/30
POWERPOINT	3	27849/12/29
POWERPOINT	3	27849/02/29
SINGA LED	17	15801/10/30
SLITS	16	27898/10/29
SOLID	46	14871/01/30
SOLID	46	14871/50/30
SPIKE	33	27882/05/30
TATUM	34	27893/05/29
TATUM	34	27894/05/29
TAYLOR	30	09831/01/30
TAYLOR	30	09831/01/31
TAYLOR	30	09831/02/30
TAYLOR	30	09831/02/31
TENSO SOLAR	41	27891/02/30
TENSO SOLAR	41	27892/02/30
TEXAS	6	28851/60/30
TEXAS	7	28850/23/30
TEXAS	7	28851/40/30
TEXAS-IR	6	28850/24/30

NAAM	BLZ	ART. NR.
TEXAS-IR	6	28851/61/30
THESI LED	19	27881/06/30
TIRENO	58	11832/01/30
TIRENO	58	11833/01/30
TIRENO	59	11834/01/30
TIRENO	60	11835/01/30
TIRENO	61	11835/03/30
TUBIX	20	27870/01/30
TUBIX	20	27870/01/31
YUPLA	10	27880/08/30
ZARO	14	69800/01/30
ZARO	14	69800/01/31
ZARO	14	69800/02/30
ZARO	14	69800/02/31
ZARO	15	69801/01/30
ZARO	15	69801/01/31
ZARO	15	69801/02/30
ZARO	15	69801/02/31
ZICO	48	11874/01/12
ZICO	48	11874/01/30
ZICO	48	11874/99/12
ZICO	48	11874/99/30
ZORA-LED	12	22861/05/30
ZORA-LED	12	22861/05/31
ZORA-LED	12	22861/10/30
ZORA-LED	12	22861/10/31
ZORA-LED	13	22860/05/30
ZORA-LED	13	22860/05/31
ZORA-LED	13	22860/10/30
ZORA-LED	13	22860/10/31

NOTES

NOTES

NOTES

NOTES

LUCIDE BELGIUM
Bisschoppenhoflaan 145
B-2100 Antwerpen-Belgium
Tel. 0032(0)3 366 22 04
Fax 0032(0)3 366 21 91
info@lucide.be

Lucide Asia Ltd. Shenzhen Representative Office
香港路先达亚洲有限公司深圳代表处

Room 1102, 3rd Building, Fantasia MIC Plaza, Nanhai Avenue, Nanshan District, Shenzhen
深圳市南山区南海大道花样年美年广场 3 栋 1102 室

Telephone 0086 (0) 755 26681910, 26686920
info@lucide-asia.com

www.lucide.com

www.lucide.com